

General Description:

The FHV1A is a compact but powerful Visual laser source, with an output power up to 8dBm, FHV1A could be used to locate sharp bends & Breaks in Jacked or bare fiber within 10Km. It could also be used to identify the connectors in patch panels and identify the fibers during splicing operation.

Features:

- 3 adjustable output power : 0, 3, 8 dBm
- Back-light LCD display;
- Auto-power off ;



Specifications:

Item / Model No.	FHV1A
Wavelength	650 ±10nm
Emitter Type	LD
Connector Type	FC/PC (interchangeable SC,ST)
Modulated Frequency	2 Hz
Output Power	0, 3, 8 dBm (adjustable)
Power Supply	AC/DC adaptor & . Li-ion Battery
Battery Life	20 hrs. (continuous operation)
Operating Temp.	-10°C ~ +50°C
Storage Temp.	-20°C ~ +70°C
Humidity	0 ~ 95% (non-condensing)
Weight	140 g
Dimension	115*65*30 mm

Note: Specifications subject to change without notice.

Standard Accessories :

rechargeable Li-ion battery, AC adapter, carrying bag, test report, User's manual.

Grandway Distributor:



MCS Test Equipment Ltd
Unit 5-6 Station Yard,
Llanrwst, Conwy,
North Wales,
LL26 0EH

Tel: 08453 62 63 65
Fax: 08453 62 36 16

Email: sales@mcs-testequipment.co.uk
Web: www.mcs-testequipment.co.uk